

Page 1

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 13/10/2016 Revision date: 28/10/2020 Supersedes version of: 13/10/2016 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form: Mixture
Product name: Deep Cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category Consumer use, Professional use

Use of the substance/mixture Cleaning/washing agents and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Company Name: TALASEY LIMITED

ST VINCENT HOUSE NORMANBY ROAD SCUNTHORPE DN15 8QT

UNITED KINGDOM

Tel: 0330 333 8030 **Email:** info@talasey.co.uk

1.4. Emergency telephone number

Emergency number: 0330 333 8030 (office hours only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315

Serious eye damage/eye irritation, Category 2 H319 Full text of H statements: See section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP)

Signal word (CLP) Warning

Hazard statements (CLP) H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

Precautionary statements (CLP) P102 - Keep out of reach of children.

P405 - Store locked up.

P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves, eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.





Page 2

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P404 - Store in a closed container.

P501 - Dispose of contents, container to a hazardous or special waste

collection point.

Child-resistant fastening Tactile warning

Not applicable
Not applicable

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-butoxyethanol	(CAS-No.) 111-76-2 (EC-No.) 203-905-0 (EC Index-No.) 603-014-00-0 (REACH-no) 01-2119475108-36	≥5-<10	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Irrit. 2, H315
Tetrapotassium pyrophosphate	(CAS-No.) 7320-34-5 (EC-No.) 230-785-7	≥1-<3	Eye Irrit. 2, H319
Alcohols, C9-11 ethoxylated, < 2.5 EO	(CAS-No.) 68439-46-3 (EC-No.) 614-482-0	≥1	Eye Dam. 1, H318
ammonia%	(CAS-No.) 1336-21-6 (EC-No.) 215-647-6 (EC Index-No.) 007-001-01-2	≥1-<3	Skin Corr. 1B, H314 Aquatic Acute 1, H400

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
ammonia%	CAS-No.) 1336-21-6 (EC-No.) 215-647-6 (EC Index-No.) 007-001-01-2	5 ≤C ≤ 100) STOT SE 3, H335

Full text of H-statements: see section 16



SAFETY DATA SHEET DEEP CLEANER

Page 3

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing.

Wash skin with plenty of water. Take off contaminated clothing. If skin

irritation occurs: Get medical advice/attention.

First-aid measures after eye contact Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Call a poison center or a doctor if you feel unwell.

First-aid measures after ingestion Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact Irritation.
Symptoms/effects after eye contact Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire
Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting

Do not attempt to take action without suitable protective equipment.

Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment.

For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Take up liquid spill into absorbent material.

Other information Dispose of materials or solid residues at an authorised site.

6.4. Reference to other sections

For further information refer to section 13.



Page 4

SECTION 7: Handling an	d storage
------------------------	-----------

7.1. Precautions for safe handling

Precautions for safe handling Ensure good ventilation of the work station.

Avoid contact with skin and eyes.

Wear personal protective equipment.

Hygiene measures Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-butoxyethanol (111-76-2)		
United Kingdom - Occupational Exposure Limits		
Local name	2-Butoxyethanol	
WEL TWA (mg/m ³)	123 mg/m ³	
WEL TWA (ppm)	25 ppm	
WEL STEL (mg/m ³)	246 mg/m ³	
WEL STEL (OEL STEL) [ppm]	50 ppm	
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
United Kingdom - Biological limit values		
Local name	2-Butoxyethanol	
United Kingdom (BEI)	240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:
Protective gloves



SAFETY DATA SHEET DEEP CLEANER

Page 5

Eye protection:	
Safety glasses	

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state
Colour
Colourless.
Odour
Characteristic.
Odour threshold
No data available

pH 8-9

Relative evaporation rate (butylacetate=1)

Melting point

No data available

No data available

No data available

Boiling point 100 °C
Flash point No data available
Auto-ignition temperature No data available
Decomposition temperature No data available
Flammability (solid, gas) Not applicable
Vapour pressure No data available
Relative vapour density at 20 °C No data available

Relative density 1 – 1.05

Solubility Completely miscible.
Partition coefficient n-octanol/water (Log Pow) No data available
Viscosity, kinematic No data available
Viscosity, dynamic No data available
Explosive properties No data available
Oxidising properties No data available
Explosive limits No data available

9.2. Other Information

No additional information available



Page 6

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)

Acute toxicity (dermal)

Acute toxicity (inhalation)

Not classified

Not classified

ammonia% (1336-21-6)	
LD50 oral rat	> 350 mg/kg Source: HSDB

2-butoxyethanol (111-76-2)	
LD50 oral rat	1746 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1322 - 2301
LD50 oral	1414 mg/kg bodyweight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1020 - 1961
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

2-butoxyethanol (111-76-2)	
LD50 oral rat	1746 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1322 - 2301
LD50 oral	1414 mg/kg bodyweight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1020 - 1961
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)



SAFETY DATA SHEET DEEP CLEANER

Page 7

LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD
	Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
Tetrapotassium pyrophosphate (7320-34	-5)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:FMC Non-Definitive Dermal Toxicity Protocol (Number 7), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 1.1 mg/l air Animal: rat, Guideline: other:FMC Acute Inhalation Toxicity Protocol Number 27, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: other:US EPA Toxic Substances Health Effect Test Guidelines, October, 1984; (PB82-232984) Acute Inhalation Toxicity Study., Guideline: other:Commission of the European Communities, Council Directive 67/548/EEC, Annex V, Part B.2.; May 1, 1987, Guideline: other:US EPA Pesticide Assessment Guidelines: Subdivision F, Hazard Evaluation: Human and Domestic Animals Nov, 1984; 81-3 Acute Inhalation Study
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	Causes skin irritation. pH: 8 – 9 Causes serious eye irritation. pH: 8 – 9 Not classified Not classified Not classified
2-butoxyethanol (111-76-2)	
IARC group	3 - Not classifiable
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
2-butoxyethanol (111-76-2)	
NOAEL (dermal, rat/rabbit, 90 days)	> 150 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Alcohols, C9-11 ethoxylated, < 2.5 EO (68	3439-46-3)
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guidelin 408 (Repeated Dose 90- Day Oral Toxicity in Rodents)

500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline

408 (Repeated Dose 90- Day Oral Toxicity in Rodents)

Aspiration hazard Not classified

Tetrapotassium pyrophosphate (7320-34-5)

NOAEL (oral, rat, 90 days)



NOEC chronic fish

SAFETY DATA SHEET DEEP CLEANER

Page 8

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term (chronic) Not rapidly degradable	Not classified Not classified
ammonia% (1336-21-6)	

EC50 Daphnia 1	> 0.66 mg/l Source: HSDB, ECHA
2-butoxyethanol (111-76-2)	
LC50 fish 1	1474 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 Daphnia 1	≈ 1800 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	911 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h algae (2)	1840 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21

Alcohols, C9-11 ethoxylated, < 2.5 EO (68439-46-3)	
LC50 fish 1	5 – 7 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 Daphnia 1	2.5 mg/l Test organisms (species): Daphnia magna
EC50 96h algae (1)	1.4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Brachydanio rerio) Duration: '21 d'

> 100 mg/l Test organisms (species): Danio rerio (previous name:

Tetrapotassium pyrophosphate (7320-34-5)	
LC50 fish 1	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 Daphnia 1	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)



SAFETY DATA SHEET DEEP CLEANER

Page 9

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

ammonia% (1336-21-6)		
	Partition coefficient n-octanol/water (Log Pow)	-2.66 Source: EPISUITE

2-butoxyethanol (111-76-2)		
	Partition coefficient n-octanol/water (Log Pow)	0.81 Source: ECHA

Tetrapotassium pyrophosphate (7320-34-5)		
	Partition coefficient n-octanol/water (Log Pow)	-10.45

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1 UN number	14.1 UN number			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2 UN proper shippin	14.2 UN proper shipping name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3 Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated



Page 10

14.4 Packing group					
Not regulated Not regulated		Not regulated Not regulated		Not regulated	
14.5 Environmental hazards					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	

No supplementary information available

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of	f changes:
---------------	------------

New format.



SAFETY DATA SHEET DEEP CLEANER

Page 11

ADN	European Agreement concerning the International Carriage of Dangerous Goods	
	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
NDR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
TE	Acute Toxicity Estimate	
BLV	Biological limit value	
CAS-No.	Chemical Abstract Service number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
MEL	Derived Minimal Effect level	
NEL	Derived-No Effect Level	
C50	Median effective concentration	
C-No.	European Community number	
N European Standard		
IATA International Air Transport Association		
MDG	International Maritime Dangerous Goods	
C50	Median lethal concentration	
LD50 Median lethal dose LOAEL Lowest Observed Adverse Effect Level		
		IOAEC
IOAEL	No-Observed Adverse Effect Level	
DEL	Occupational Exposure Limit	
ВТ	Persistent Bioaccumulative Toxic	
NEC	Predicted No-Effect Concentration	
EACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
IID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
DS	Safety Data Sheet	
PvB	Very Persistent and Very Bioaccumulative	
VGK	Water Hazard Class	



Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	

The classification complies with : ATP 12 $\,$

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.